

Additionality determination of Indian CDM projects

Can Indian CDM project developers outwit the CDM Executive Board?

Axel Michaelowa, Pallav Purohit

University of Zurich, Institute for Political Science, Mühlegasse 21, 8001 Zürich, Switzerland, Phone +41 433550073, axel.michaelowa@pw.unizh.ch

ABSTRACT

A sample of 52 Indian CDM projects registered until May, 20, 2006 is analyzed with respect to the testing of additionality. While almost all projects do additionality testing, only half of them identify alternatives. Barrier testing is almost universal but only a third of the projects do an investment analysis. Small scale projects are less likely to look at the impact of CDM registration. A sub-sample of 19 projects is looked at in detail regarding barrier argumentation and treatment of the additionality test by the validators. Independent data sources are only used by one third of projects. Only about a fifth of projects provide a common practice analysis in sufficient detail. Less than half of large projects provide the relevant information on additionality in their PDD. While a technology barrier is mentioned most frequently, technology and institutional barriers, feedstock variability and lack of experience each affect a third of projects. Validators have problems in transparently evaluating barriers. The detailed case studies of two projects show that additionality assessment by the CDM Executive Board varies; if the project developer can obfuscate the attractiveness of the project, it is more likely to pass.

1. Introduction

The Clean Development Mechanism (CDM) as such does not reduce net global greenhouse gas emissions. For every tonne of emissions reduced in a host country, an investor is allowed to emit one tonne more at home. If a CDM project does not reduce emissions compared to what would happen anyway ("business as usual scenario"), then the net effect is an increase of global emissions. Therefore business-as-usual CDM projects do not just not contribute to overall greenhouse gas emission reduction; they actually will increase net emissions. The additionality principle is thus of fundamental importance in the CDM context.

While the economy of a CDM host country as a whole does not benefit from the relabelling of business-as-usual projects, additional revenues may be raised through Certified Emission Reductions (CERs) or taxation of CERs accruing to host country entities. This is obviously the case in the context of unilateral projects where the whole CER revenue remains with the host country project developer. In the pure bilateral case where no CER revenue remains in the host country, non-additional projects are unattractive.

There has been substantial debate about how to interpret additionality and whether additionality should apply to investments that are profitable in their own right, as economic theory states that rational investors will make such investments without further incentives. The business viewpoint of additionality is that the project developer's intent should not be evaluated and that any project with emissions below the baseline should automatically qualify as additional (IETA, 2005). On the other side, researchers and environmentalists consider additionality to be an imperative tool that is necessary to preserve the environmental integrity and successful implementation of the KP. They argue that "Without additionality, the CDM results in increased global emissions and thus the additionality criteria should be strict and the enforcement must be effective" (WWF 2005).

The first rule-setting on additionality was done by the CDM Executive Board (EB) with respect to small-scale projects, where the so-called barrier test was established. A small-scale project has to show that it overcomes a barrier to investment, application of technology or the project not being common practice. After a phase of uncertainty for large projects the EB in October 2004 defined a *Tool for the demonstration and assessment of additionality*, (UNFCCC 2004) which is separate from the baseline methodologies, meaning that even if the baseline scenario has higher emissions than the project scenario, it has to be checked whether the project passes the additionality test. Despite being required in all consolidated baseline methodologies, formally the additionality tool is not mandatory. It has nevertheless become common practice and consists of the following steps:

Step 0. Preliminary screening based on the starting date of the project activity

Step 1. Identification of alternatives to the project activity consistent with current laws and regulations

Sub-step 1a. Define the alternatives to the project activity

Sub-step 1b. Enforce applicable laws and regulations

Step 2. Investment analysis

Sub-step 2a. Determine appropriate analysis method

Sub-step 2b. – Option I. Apply simple cost analysis

Sub-step 2b. – Option II. Apply investment comparison analysis

Sub-step 2b – Option III. Apply benchmark analysis

Sub-step 2c. Calculation and comparison of financial indicators (only applicable to options II and III)

Sub-step 2d. Sensitivity analysis (only applicable to options II and III)

Step 3. Barrier analysis

Sub-step 3a. Identify barriers that would prevent the implementation of proposed project activity

Sub-step 3 b. Show that the identified barriers would not prevent the implementation of at least one of the alternatives (except the proposed project activity)

Step 4. Common practice analysis

Sub-step 4a. Analyze other activities similar to the proposed project activity

Sub-step 4b. Discuss any similar options that may be occurring

Step 5. Impact of CDM registration

The projects that use this tool have to follow these steps sequentially to prove the additionality of the proposed project. The EB, in its 22nd meeting, modified this tool with respect to step 0 above - “evidence of CDM consideration while conceiving the project”, essentially weakening it.


Projects that do only generate costs but no revenues will pass all additionality tests discussed. There are some project categories with those characteristics that can generate large emission reductions such as N₂O reduction from adipic and nitric acid production or HFC-23 reduction from HCFC-22 production. These project types are high-tech end of the pipe applications with limited employment and local environmental benefits.

Since the establishment of the Registration and Issuance Team (RIT), more and more projects have been criticized for not being additional despite having used the additionality tool and been validated by a DOE. This has culminated in the rejection of four projects by the EB, two of which are from India. Is India becoming the black sheep of the CDM? To answer this question, I analyze all 52 Indian projects registered until the end of May 2006, 19 of which in detail. Moreover, two case studies will highlight projects with doubtful additionality.

3. Quantitative Analysis of Elements of Additionality Test used by Indian CDM Projects

Of the 52 registered projects from India, only 17 are large. These have utilized approved baseline methodologies as shown in Figure 1.

Figure 1: Baseline methodologies used by large-scale registered projects from India



The methodologies AM 3,6-11, 13 and 16 require an investment test. 1 of the 17 projects uses these methodologies (6%). Methodologies AM 4, 5, 12, 14 and 17 require a barrier test. 2 projects (12%) use those methodologies. AM 1 and 2 do not require an additionality test; they are used by 2 projects (12%). The AT is required by AM 15, 18 as well as all consolidated methodologies. They cover 11 projects (65%).

On the basis of a quantitative analysis of the 52 projects¹ it is observed that all but 2 projects have carried done an additionality or barrier test. It is not possible to differentiate which projects are following the consolidated additionality tool as this is not always specified. I thus analyse which elements of the additionality tool have been used. 50% of projects do *not* identify alternatives. In only 17 projects (33%), investment analysis has been carried out whereas in 49 projects (94%) barrier analysis is presented to demonstrate the additionality. Table 1 presents which elements of the additionality test were used by the registered CDM projects.

Table 1. Use of additionality test elements by registered Indian CDM projects


Test element	Total number (share) of projects using the element	Large scale projects	Small scale projects
Identification of alternatives	26 (50%)	14 (82%)	12 (34%)
Investment test	17 (33%)	5 (29%)	12 (34%)
Barrier test in general	49 (94%)	16 (94%)	33 (94%)
of which Institutional Barriers	28 (54%)	8 (47%)	20 (57%)
of which Technology Barriers	27 (52%)	13 (76%)	14 (40%)
Common Practice Analysis	43 (83%)	14 (82%)	29 (83%)
Impact of CDM registration	29 (56%)	13 (76%)	16 (46%)

For each element, an analysis according to project types is done below.

3.1 Identification of alternatives

The 26 projects that do not identify alternatives are distributed among project types as shown in Figure 2. Renewable electricity for grid is strongly over-represented

Figure 2: Shares of general project types in projects that do not identify alternatives




3.2 Investment test

Only renewable electricity projects and one energy efficiency project do an investment test. With respect to detailed technologies (see Figure 3) wind power is over-represented.

Figure 3: Investment analysis according to detailed technology of projects

¹ Annexure-I presents a detailed analysis of all the CDM projects considered in this study




3.3 Barrier test

As for both small-scale and large-scale projects the barrier test is almost


universal, there is no need for detailed analysis. However, for the sub-components of the barrier test, the analysis yields interesting results. For both large and small-scale projects, there is a strong over-representation of renewable electricity arguing for institutional barriers (see Figure 4) whereas renewable electricity is not overly prone to face a technology barrier.

Figure 4: Institutional and technology barriers


Large projects arguing for an institutional barrier



Small projects arguing for an institutional barrier



Small-scale projects arguing for a technology barrier



In the barrier analysis, almost all the CDM projects indicate that investment is a major barrier for the continuation of the project activity. Investment barriers were mostly compared with institutional barriers and other risks involved in the continuation of the project activity. For example, in most of the biomass projects, it is stated that “investment barrier is due to high investment cost, uncertainty of the price of biomass etc”. However, a proper investment analysis is missing. The input parameters for the investment analysis are not provided in most of the cases and only an incremental internal rate of return is provided.

3.3 Common practice test

Similarly to the barrier test, the common practice test is almost universal.

3.4 Impact of CDM registration

For large projects, testing for the impact of CDM registration is nearly universal, but not so for small-scale projects. There, energy efficiency projects are lacking completely. Due to the decision of the EB at its 17th meeting to allow qualitative arguments, only about 20% of projects have calculated the impact quantitatively (see Table 2 in Section 4).

4. Detailed evaluation of a project sample regarding additionality testing

I analyze a sample of 19 projects (10 large and 9 small ones) with regards to the following criteria

- Do the project participants refer to independent sources when arguing for barriers?
- What type of barrier is argued?
- How detailed is the common practice analysis?
- Is all information for additionality testing available in the PDD?
- How do the validators assess the implementation of the additionality test in the PDD?

The sample is reflecting the distribution of projects according to technologies and the temporal distribution with respect to the date of registration.

Table 2: Detailed evaluation of additionality testing of 19 registered projects

Note: Projects in italics are examples of a very detailed and well-argued additionality test. Shaded projects have problematic argumentation and would probably have triggered a review request for lack of additionality by me if they had been presented to me in the context of my RIT work.

Name	Project type (in detail)	Project Size	References to independent sources	Barriers listed	Detail in common practice analysis	Public availability of information	Validators' evaluation of additionality testing
Biomass in Rajasthan - Electricity generation from mustard crop residues	Biomass	Small	×	Investment costs (IRR of 10-11%), technological risks such as corrosion; CER revenue increases IRR by 2.6%	None	√	Reliable evidence for technological barrier
5 MW Dehar Grid-connected SHP in Himachal Pradesh, India	Hydro	Small	×	Investment cost overrun, refusal of banks to provide additional loans, unknown hydrological characteristics	High	√	IRR increase from 12.9 to 13.9% through CER revenues. Normally project IRR threshold would be 20%.
Clarion 12 MW (Gross) Renewable Sources Biomass Power Project	Biomass	Small	×	Risk of biomass price increase and feed-in tariff decrease (reduction of IRR from 31 to 13%), technology. CER revenue increases IRR by 2%	None	×	Feed in- tariff decrease found to be prohibitive
3.5 MW rice husk cogeneration at Nahar Spinning Mills	Biomass	Small	√ (decrease in rice farming, common practice)	Biomass availability and price. Lack of power generation experience of project developer	Medium (20.5 MW rice husk installed, but no. of plants not mentioned)	√	Just repetition of arguments in PDD
24 MW installed capacity biomass based renewable electricity generation and consumption by Gujarat Ambuja Cements Limited at its facility in Rupnagar district (Ropar), Punjab, India	Biomass	Large	×	Investment costs higher than for coal-fired boiler, little experience with technology	Medium (one 10 MW rice husk plant, not operational)	×	Check of data on additional capital cost and higher cost of generation. CER revenue increases IRR by 1%
20 MW Kabini Hydro Electric Power Project, SKPCL, India	Hydro	Large	×	IRR 10.8% which is below the threshold of 15.8% (WACC, black box!). CER revenues increase IRR by 2.2%.	High	×	Financial analysis provided by the project developer to the validator was accepted
Energy Efficiency through installation of modified CO2 removal system in Ammonia Plant	Energy efficiency in industry	Large	×	Operational characteristics of technology unknown	Low. Letter from technology supplier stating "first of its kind" nature	×	Validator required more detailed description of risks of shutdown due to unfamiliarity with technology
Methane Extraction and Fuel Conservation Project at Tamil Nadu Newsprint and Papers Limited (TNPL), Kagithapuram, Karur District, Tamil Nadu	Wastewater	Large	√ (on technology barrier but not addressing the issue)	Subsidy for untested technology was given. Wastewater may not be available	Low. "One of the first of its kind" without further specification	×	Confirm that this subsidy alone was not sufficient to remove the technological barrier
Optimal Utilization of Clinker" project at Shree Cement Limited (SCL), Beawar, Rajasthan	Cement blending	Large	×	Cement users need training. Low acceptance by users to be overcome by large meetings of masons. Increased sales and advertising budget. Need for experimentation to find optimal blending ratio. Government regulation bans use of	Medium. Blending in Northern Region 7-20%.	√	Validator required project developer to exclude investment analysis unless more detail was provided (!) as "investment barrier is in fact an example of investment analysis." "Presence of market barrier is convincing"

Name	Project type (in detail)	Project Size	References to independent sources	Barriers listed	Detail in common practice analysis	Public availability of information	Validators' evaluation of additionality testing
				blended cement for government purposes.			
Ugar Sugar Project	Biomass	Large	×	High investment costs and price for power higher than for coal-based power. New technology used. Bagasse availability fluctuates	Medium. 8 out of 25 mills in Karnataka state deliver electricity to the grid, but much less than project	×	"Investment barrier analysis indicates that procuring funding for the project was not easy and cheaper option like producing power using coal as fuel was possible."
5 MW Wind Power Project at Baramsar and Soda Mada, district Jaisalmer, Rajasthan, India.	Wind	Small	×	Private banks not willing to give loans. Uncertainty about tariff policy. 1.25 MW turbines were untested at the time	None	×	Remote desert terrain lacks infrastructure, Inability of securing soft loans and investment Possibility of having higher annual revenue realization per WEG in other states of India
Aleo Manali 3 MW Small Hydroelectric Project, Himachal Pradesh, India	Hydro	Small	×	Investors not experienced in small-hydro projects Planned large scale hydro project upstream will impact on available flow	None	×	No assessment at all
Energy efficiency projects- Steam system upgradation at the manufacturing unit of Birla tyres	Energy efficiency in industry	Small	×	Utilization of the condensate can lead to contamination. Disruption of the thermal equilibrium of the system possible. Expenses for automatic control system needed. Higher cooling costs. Investment unavailable due to slowdown in tyre industry	None	×	Arguments seen as sufficient except the argument of slowdown in tyre industry
Energy efficiency through steam optimisation projects at RIL, Hazira	Industry	Large	×	Entire design of the depropaniser column has been developed 'in-house' by RIL's technical team. Failure of the system may result in the stoppage of the Cracker Plant	Medium. Project unique in Indian petrochemical sector	×	Validator makes no assessment of barriers
Biomass based independent power project at Malwa Power Private Limited, Mukatsar, Punjab	Biomass	Small	×	Tariff policy risk	Medium. No biomass power generation in Punjab in 2003-4	×	First privately financed biomass project in the state of Punjab. Supporting documentation giving evidence for the same has been submitted.
6.5 MW biomass based (rice husk) power generation by M/s Indian Acrylics Ltd. and replacement of electrical power being imported from state electricity grid/ surplus power supply to grid	Biomass	Small	√ (common practice)	Corrosion of boiler. Biomass availability unclear. Storage of rice husk entails risks.	Medium. One 10 MW plant in Punjab, 52 plants in India	√	Validator raised issue that at no point of time the cost of generation by the project activity is more than the variable cost of supply by the state electricity utility but accepts barriers due to bad experience of project developer with earlier investment in a

Name	Project type (in detail)	Project Size	References to independent sources	Barriers listed	Detail in common practice analysis	Public availability of information	Validators' evaluation of additionality testing
							rice husk boiler.
<i>Bundled wind power project in Chitradurga (Karnataka in India) managed by Enercon (India) Ltd.</i>	<i>Wind</i>	<i>Large</i>	<i>√ (IRR threshold, wind share in electricity generation)</i>	<i>IRR of 12.8% below 16% threshold. CER revenues increase IRR by 2.4%. Risk of feed-in tariff decrease, no power offtake during windy monsoon periods</i>	<i>High. Argues for statewise assessment (1% wind in Karnataka)</i>	<i>√</i>	<i>Validator states that during the initial period of operations the projects are likely to earn less than their cost of generation and thus investment barrier is given.</i>
<i>Waste Heat Recovery Power Project at JK Cement Works (Unit of JK Cement Limited), Nimbahera, Chittorgarh, Rajasthan</i>	<i>Energy efficiency in industry</i>	<i>Large</i>	<i>√ (arguments about technology barrier, standby charges, common practice analysis)</i>	<i>High dust content of waste gases. Standby charges for emergency supply from grid</i>	<i>High. One of 45 plants (2%).</i>	<i>√</i>	<i>Validator accepts barriers</i>
<i>Partial replacement of fossil fuel by biomass as an alternative fuel, for Pyro-Processing in cement plant of Shree Cements Limited at Beawar in Rajasthan, India</i>	<i>Renewable energy for industry</i>	<i>Large</i>	<i>√ (fuel use by Indian cement industry)</i>	<i>Production losses are anticipated, no trained staff available, unstable biomass supply, need for additional infrastructure.</i>	<i>Medium. "First of its kind in Rajasthan"</i>	<i>√</i>	<i>Main barrier for the project activity is technology (production losses) SCL will be amongst the first companies to use biomass instead of fossil fuel in cement manufacture.</i>

Only 6 projects (32%) provide independent sources; the share is 40% for large and 22% for small projects. This shows that developers have serious problems in substantiating their claims. Even if independent sources are provided, they may not be relevant.

Common practice analysis is rather uneven, with 3 large projects (30%) and 1 small project (11%) giving an analysis with high degree of detail. No large and five small projects (55%) do not provide any common practice analysis. The interpretations of common practice have a wide range. There is also a widely varying interpretation of the boundaries of the common practice analysis both spatially and with regards to the technology. Some project developers have developed the strategy to draw a very narrow technological line which obviously reduces the "risk" of being labeled as common practice.

Both four large and small projects provide the relevant information publicly, thus less than half. Validators have never raised lack of publicly available information as a basis of a corrective action request or need for clarification in their validation reports, which shows that they do not take the CDM rules seriously in this respect.

All projects list one or several barriers. They can be grouped in four major clusters:

- Technology. 13 projects describe a technology-related barrier in some detail. Many more projects give vague indications about technology issues that are not counted here.
- Institutions. Seven projects describe an institutional barrier in some detail. The barriers mostly refer to the feed in tariffs for renewable electricity.
- Feedstock variability (flow for hydro, biomass for biopower plants) is mentioned by seven projects.
- Investment (six projects); a surprisingly low share.
- Lack of experience, mentioned by six projects.

Only rarely validators do give an explicit evaluation of the credibility / prohibitive nature of barriers. Some validators (in the cases treated here particularly BVQI) seem to put low emphasis on actually evaluating barrier characteristics.

It is visible that projects that do not generate revenues other than the CERs have little problems in arguing their additionality. The critical categories are those where the project generates its main revenues through the sale of a product such as electricity. In my view, two out of the 19 projects are examples of a very well implemented additionality test, whereas five projects provide doubtful arguments that should have triggered rejection by the validators.

5. Case studies: JSW steel waste gas use and Bajaj Auto wind power

Two Indian case studies are outstanding with regards to their additionality characteristics as they highlight the importance of transparency and understanding of situation-specific arguments as well as differential treatment by the CDM EB. One relates to a very large energy efficiency project in the steel sector, the other one to wind power built in the classical Indian style as a project operated by the windmill producer on behalf of an industrial company.

5.1 JSW steel waste gas use – how company accounting tricks ensnare the EB

Jindal South West Steel (JSW Steel), before 2005 Jindal Vijayanagar Steel, is operating a large integrated steel plant at Vijayanagar in the state of Karnataka. Current capacity is 2.5 million t per year which is being expanded to 4 million t in 2006. Further expansion to 10 million t is scheduled in the near future. JSW Steel and its affiliate JSW Energy (formerly Jindal Thermal Power Company Limited) have developed three CDM Project Design Documents for large scale waste heat recovery projects. All projects use the consolidated baseline methodology ACM 4, have been supported by the consulting company PricewaterhouseCoopers (PwC) and are validated by SGS.

The first project “Use of waste gas use for electricity generation at Jindal Thermal Power Company Limited (JTPCL)” was submitted on September 23, 2005. It relates to a 260 MW power plant with two units partially fired by gases from the Corex iron smelting process. Imported coal is used for co-firing and about 50% of the power is sold to Karnataka Power Transmission Corporation Limited (KPTCL). Annual emission reductions are estimated at 1.3 million CERs. The 10 year crediting period started in January 2001. The plant was originally owned by Tractebel. Its plant load factor reached 84% in 2001, 96% in 2002-04 while falling back to 86% in 2005 due to lower electricity demand. The share of coal reached 30% in 2002-2004 but rose to 65% due to commissioning of the second project that has the priority in using Corex waste gases. CER volumes would be reduced accordingly.

I made a public comment on the first project arguing that the project developers’ claim that a decision to use waste gases to generate electricity was made at a later stage than the actual investment into the COREX plant was not true. Electricity generation from COREX gases was always a key element of the project investment (this is a well known fact in India) and thus the assertion that “during March 2001, JTPCL management took the decision for the current project activity” is blatantly wrong. Moreover, the first tranche (130 MW) of the project started production well before 2000 and thus that tranche is not eligible for the CDM. My arguments were supported by Ghorai et al. (2001) who did not mention the CDM at all which is another indicator that CDM was not seriously considered. A lengthy exchange of views with the validator followed. On December 21, SGS formally announced that it would go ahead with validation despite my comment. In January 2006, representatives of JSW

invited me to visit their plant and to discuss my comment. The subsequent analysis is based on the plant visit².

The CDM has a cut-off-date of Jan. 1, 2000; projects that started before that date are not eligible. According to Ghorai et al. (2001) the first Corex plant for iron smelting as well as the first 130 MW unit of the power plant was operational in August 1999. The second unit followed in mid-2000. According to the documents available in the plant, the planning process for using Corex gas in the power plant already started in the mid-1990s. Karnataka Pollution Control Board (KPCB) approved the use of 80% of Corex gases and 20% coal in the power plant on March 6, 1996. While the plant was standing in 1999, it was only fired by coal. The first Corex waste gas was fired on January 28, 2000. So eligibility depends on the interpretation of project start date. If the power plant commissioning date is used, the project would not be eligible; if the first operation of the process (i.e. gas firing) is used, the project would pass the test.

The consolidated additionality test has two elements that are important for the evaluation of JSW's projects: the proof that CDM was considered prior to project commissioning and the investment/barrier test. The use of Corex gases for the 260 MW power plant was planned already in the late 1990s while the PDD states that "during March 2001, JTPCL management took the decision for the current project activity so that the use of waste gas is maximised in the fuel configuration". At first glance this is inconsistent. The validator clarifies: "During a site visit it was made clear to us use of COREX gas for power generation was always part of the plan when the plant was constructed. However the plans had never materialised because of unforeseen technical difficulties that meant the gas could not be burnt without further investment in a holding tank." This means that the CDM project is essentially the installation of the tank to avoid discontinuation of Corex gas firing (avoiding a switch to a more carbon-intensive fuel, coal). During my visit, the history of the decision to invest in the tank was shown, vindicating the validator's assessment but showing that the dates in the PDD and the validator's assessment were incorrect: After the first firing of Corex gases in January 2000, it became quickly apparent that the gas availability varied strongly on a scale of minutes negatively affecting the operation of the power plant. On February 11, 2000 a task force was formed that met four times until end of March. A joint meeting of Jindal Vijayanagar Steel and JTPCL CEOs on April 10 discussed the building of a gas tank with a capacity of 45 minutes of Corex gas production to smoothen gas flow to the power plant and allow the start-up of coal-firing in case of a lasting non-availability of gas. The tank would have a cost of 4.4 million €³. JTPCL threatened to stop gas use in case the tank would not be built. On June 10, 2000, Ram Babu from PwC who was a key player in setting up PwC's climate change services in late 2000 explained the principles of CDM to JTPCL management, which led to a JTPCL board decision to invest in the gas tank on June 16⁴. Jindal Vijayanagar Steel agreed to that decision on June 20. In parallel, JTPCL applied (on 16.6.2000) and obtained the requisite approval from Karnataka Pollution Control Board (KPCB) to combust coal exclusively (11.7.2001). On April 21, 2001 the gas tank started trial operations and was fully commissioned on July 24, 2001. The writing of the CDM Project Design Document started in late 2001 and the Ministry of Environment and Forests (MoEF) was approached regarding host country approval. This was however only given once the Netherlands started the CERUPT tender.

² I have benefited from an extensive guided tour of the facilities at the Vidjanagar steel plant and the three power plants and would like to thank JSW Steel Ltd. and JSW Energy Ltd. for their extreme openness and hospitality, especially Suresh Iyer.

³ An exchange rate of 55 Indian rupees to 1 € is used in this article.

⁴ The validator gives a date of June 5, which would not be consistent. Moreover, it states that the decision related for "use of Corex gas for electricity generation". The correct wording should have been: "not to discontinue use of Corex gas for electricity generation".

Overall, the argument about the role of CDM in decision on investing in the tank seems sound and the timeline is convincing. One could not have asked the companies to start writing CDM project documentation before the ink on the Marrakech Accords was dry. However, it is surprising that local stakeholder consultation was only done on April, 7, 2005 despite the rules on stakeholder consultation being clear from 2002 onwards⁵.

Under normal circumstances, use of waste gases instead of imported coal should reduce the costs of power production, making the power plants the commercially most attractive alternative for power production. This is confirmed by Ghorai et al. (2001): “More than 40% of the total energy input in the COREX process is subsequently available as a valuable export gas. COREX export gas can be used for the generation of electricity, enabling the steelworks to be run independently of external electricity supplies. The economy of the process is therefore improved strongly when this export gas can be put to use.” According to the plant operators, coal-fired power costs 4.5 ct/kWh; so the investment in the gas storage tank pays off after just 100 GWh of electricity produced from Corex gas.

Now a purely political-organisational argument is given in the PDD by JSW Energy to argue that the power plant is not the most economically attractive alternative. As the sales price for power to the public grid is fixed by the regulator at a level reflecting power generation cost, a reduction of fuel costs achieved by the shift from coal to Corex gas would have to be passed through by a corresponding reduction in the sales price⁶. JSW Energy now cleverly avoids a reduction of its electricity sales price this by asking JSW Steel to charge a price for delivery of Corex gas which is equivalent to the coal price in terms of energy content. Such a price can be charged according to the rules defined by Central Electricity Authority. Obviously this means that JSW Steel increases its profits due to the sale of the Corex gas while JSW Energy increases its costs accordingly; the total cost level at the JSW company group level remains unchanged. Thus the validator’s conclusion “This meant that there was no incentive for JTPCL to invest in additional equipment to facilitate the burning of the COREX gases” is incorrect from a JSW company group standpoint where the cheapest option is to maximize use of Corex gas.

Given that the project does not pass the investment test, the barrier test remained to be done. The validator states here: “As part of the project, complex technological problems had to be solved, before it was possible to use Corex Gas for generation of electricity”. It is true that the variability of Corex gas production generated problems in operating the power plant. But a low-tech solution could be found quickly in building the gas storage tank, which is a decades-old, proven technology.

While a request for review was launched by the EB, the project was allowed to get registered after an insubstantial correction (making clear the link to the other two projects). It has thus become a key precedent for allowing large non-additional energy efficiency projects in the CDM.

5.2. Bajaj Auto: How glowing reporting on the attractiveness of a project led to its rejection

The two wind projects of Bajaj Auto share common characteristics of Indian wind power inasmuch an industrial company is providing finance for wind turbines that are built and operated by the turbine manufacturer. This reduces electricity costs for the industrial company that would otherwise face very high electricity tariffs and allows tax reduction through accelerated depreciation of the wind turbines. A large number of these projects have

⁵ Surprisingly, stakeholders were not given any indication about the level of CER benefits to JSW (personal communication of village council representatives to author of this article, January 28, 2006).

⁶ This argument obviously does not apply for projects two and three which are only producing power for JSW Steel’s own use.

been submitted for validation. The Bajaj projects were unusual as the annual report of Bajaj Auto (2002) provided a glowing description of the wind projects: "The wind power project has been completed in the current financial year. A total of 138 windmills have been set up in Supa (Ahmednagar district, Maharashtra) and Vankusavade (Satara district, Maharashtra). With the completion of these windmills, Bajaj Auto has a total installed capacity of 65.2 MW of power. [...]The project is extremely beneficial on a standalone basis and has a payback period of three years with an internal rate of return in excess of 28 per cent. In addition to hedging Bajaj Auto's power costs, this investment also provides sales tax incentives and an income tax shield." Moreover, Bajaj made the mistake of not mentioning CDM or carbon credits in the context of the projects.

Given this irrefutable evidence of non-additionality inadvertently provided by the project developer himself, the EB rejected both projects at its July 2006 meeting. Afterwards, PwC publicly complained that all wind projects in Maharashtra had the same characteristics and that the Bajaj projects were unfairly singled out. Obviously, CDM consultants will in the future tell their clients not to provide a paper trail regarding the attractiveness of their projects.

6. Conclusions

Non-additional CDM projects are only beneficial for a host country if the CER revenue accrues to host country entities. This is the case for unilateral projects. Thus one would expect India with its high share of unilateral projects to submit many non-additional projects. An analysis of Indian projects registered before May 2006 shows a marked reticence to use the investment test which is probably due to the fact that investment parameters are generally attractive. Indian project developers prefer the barrier test. The two case studies JSW Steel and Bajaj Auto show that "packaging" of information plays a decisive role in additionality assessment by the EB. While both projects are clearly non-additional, only the second one was rejected as the project developer himself praised the project's attractiveness in the absence of the CDM. Validators so far have not been able or willing to thoroughly check the additionality argumentation of project developers, especially regarding the barrier test. We thus will get more non-additional projects from India registered in the future unless the EB sharpens the barrier test.

REFERENCES

Bajaj Auto 2002

Annual report 2001-2002

Pune

Ghorai D., Bräuer, F., Freydorfer, H. Siuka, D. 2001

COREX operation at Jindal Steel - a success story

Millennium Steel, 20-25.

IETA 2005

**IETA Position on Additionality submitted to First Meeting of the Kyoto Protocol/
Eleventh Meeting of the Conference of the Parties to the UN Framework Convention on
Climate Change**

Geneva

UNFCCC 2004

**Tool for the demonstration and assessment of additionality, Version 1, Annex 1, Report
of CDM Executive Board**

Bonn

WWF 2005

**No Time to Waste, Position Paper for the First Meeting of the Kyoto Protocol/
Eleventh Meeting of the Conference of the Parties to the UN Framework Convention on Climate
Change.**

Gland

Appendix 1

LIST OF ANALYZED PROJECTS SORTED BY DATE OF REGISTRATION Projects included in the sample for detailed analysis are marked in grey

Name	Project type sector	Project type (in detail)	Project Size	Project using AT	Invest. Analysis	Barrier Analysis	Identificati on of alternatives	Institut. /Regulat. Barriers	Tech. Barriers and TT	Common Practice Analysis	Impact of CDM registration
Project for GHG Emission Reduction by Thermal Oxidation of HFC23	Industrial gases	HFC	Large	X	×	√	√	×	√ TT	√	√
Biomass in Rajasthan - Electricity generation from mustard crop residues	Renewable electricity for grid	Biomass	Small	√	√	√	√	√	√	√	√
5 MW Dehar Grid-connected SHP in Himachal Pradesh, India	Renewable electricity for grid	Hydro	Small	√	×	√	×	×	×	√	×
Clarion 12 MW (Gross) Renewable Sources Biomass Power Project	Renewable electricity for grid	Biomass	Small	√	×	√	×	√	√	×	×
Shree Renuka Sugars Bagasse Cogeneration	Renewable electricity for grid	Biomass	Small	√	√	√	√	√	×	√	√
DSL Biomass based Power Project at Pagara	Renewable electricity for grid	Biomass	Small	√	×	√	√	×	×	√	×
APCL proposed 7.5 MW Mustard Crop Residue based Power Project	Renewable electricity for grid	Biomass	Small	√	×	√	√	√	√	√	×
4.5MW Maujhi Grid-connected SHP in Himachal Pradesh, India	Renewable electricity for grid	Hydro	Small	√	√	√	×	×	×	√	√
JCT Phagwara Small Scale Biomass Project	Renewable electricity for grid	Biomass	Small	√	√	×	×	×	×	×	√
Bagepalli CDM Biogas Programme	Fugitive emissions	Ag Waste	Small	√	×	√	×	×	√	√	√
3.5 MW rice husk cogeneration at Nahar Spinning Mills	Renewable electricity for grid	Biomass	Small	√	×	√	×	×	×	×	×
10.25 MW Chunchi Doddi Grid-connected SHP in Karnataka, India	Renewable electricity for grid	Hydro	Small	√	×	√	×	√	×	√	√
3.5 MW rice husk cogeneration at Oswal Woolen Mill	Renewable electricity for grid	Biomass	Small	√	×	√	×	×	×	√	×

24 MW installed capacity biomass based renewable electricity generation and consumption by Gujarat Ambuja Cements Limited at its facility in Rupnagar district (Ropar), Punjab, India	Renewable electricity for grid	Biomass	Large	√	√	√	√	×	√	√	√
18 MW Biomass Power Project in Tamilnadu, India	Renewable electricity for grid	Biomass	Large	√	×	√	√	×	√	√	×
GHG emission reduction by thermal oxidation of HFC 23 at refrigerant (HCFC-22) manufacturing facility of SRF Ltd	Industrial gases	HFC	Large	×	×	×	×	√	×	×	×
20 MW Kabini Hydro Electric Power Project, SKPCL, India	Renewable electricity for grid	Hydro	Large	√	√	√	√	×	×	√	√
Energy Efficiency through installation of modified CO2 removal system in Ammonia Plant	Energy efficiency	Industry	Large	√	×	√	√	×	√ TT	√	√
Methane Extraction and Fuel Conservation Project at Tamil Nadu Newsprint and Papers Limited (TNPL), Kagithapuram, Karur District, Tamil Nadu	Fugitive emissions	Wastewater	Large	√	×	√	√	×	√	√	√
RSCL cogeneration expansion project	Renewable electricity for grid	Biomass	Large	√	√	√	√	√	√	√	√
Rice Husk based Cogeneration project at Shree Bhawani Paper Mills Limited (SBPML), Rae Bareli, Uttar Pradesh, India	Renewable electricity for grid	Biomass	Small	√	×	√	√	×	×	√	×
Rice Husk Based Power Project, India	Renewable electricity for grid	Biomass	Small	√	×	√	√	√	√	√	×
6MW Somanamaradi grid-connected SHP in Karnataka, India	Renewable electricity for grid	Hydro	Small	√	×	√	×	√	×	√	√
Nagda Hills Wind Energy Project (India)	Renewable electricity for grid	Wind	Small	√	√	√	√	√	√	√	√

Optimal Utilization of Clinker” project at Shree Cement Limited (SCL), Beawar, Rajasthan	Energy efficiency	Cement blending	Large	√	×	√	√	√	√	√	√
3.75 MW Small Scale Grid Connected “Demonstration Wind Farm Project” at Chalkewadi, District Satara, State Maharashtra, India.	Renewable electricity for grid	Wind	Small	√	×	√	×	√	√	√	×
Rithwik 6 MW Renewable Sources Biomass Power Project	Renewable electricity for grid	Biomass	Small	√	√	√	√	√	×	×	√
Ugar Sugar Project	Renewable electricity for grid	Biomass	Large	√	×	√	√	×	√	√	√
Thermal Efficiency Improvement Initiatives in Coal Fired Boiler System	Energy efficiency	Industry	Small	√	×	√	√	√	√	√	×
5 MW Wind Power Project at Baramsar and Soda Mada, district Jaisalmer, Rajasthan, India.	Renewable electricity for grid	Wind	Small	√	×	√	×	√	√	×	×
14.8 MW small-scale grid connected wind power project in Jaisalmer state Rajasthan, India by RSMML	Renewable electricity for grid	Wind	Small	√	√	√	×	×	√	√	×
Aleo Manali 3 MW Small Hydroelectric Project, Himachal Pradesh, India	Renewable electricity for grid	Hydro	Small	√	×	√	×	×	×	×	×
Energy efficiency projects- Steam system upgradation at the manufacturing unit of Birla tyres	Energy efficiency	Industry	Small	√	√	√	×	×	√	√	×
Demand-side energy efficiency programme in the ‘Humidification Towers’ of Jaya Shree Textiles	Energy efficiency	Industry	Small	√	×	√	√	×	√	×	×
Waste heat based 7 MW Captive Power Project Godawari Power and Ispat Ltd (GPIL)	Energy efficiency	Industry	Large	√	×	√	√	√	√	√	√
Energy efficiency through steam optimisation projects at RIL, Hazira	Energy efficiency	Industry	Large	√	×	√	√	×	√	√	√

12.3 MW wind energy project in Tamil Nadu, India	Renewable electricity for grid	Wind	Small	√	√	√	×	√	√	√	√
JCT Hoshiarpur Small Scale Biomass Project	Renewable electricity for grid	Biomass	Small	√	√	√	×	×	×	×	√
Biomass based independent power project at Malwa Power Private Limited, Mukatsar, Punjab	Renewable electricity for grid	Biomass	Small	√	×	√	√	√	×	√	×
Babanpur, Killa and Sahoke Mini Hydroelectric Projects	Renewable electricity for grid	Hydro	Small	√	×	√	×	√	×	√	×
Lohgarh, Chakbhai and Sidhana Mini Hydroelectric Projects	Renewable electricity for grid	Hydro	Small	√	×	√	×	√	×	√	×
Dolowal, Salar and Bhanubhura Mini Hydroelectric Project	Renewable electricity for grid	Hydro	Small	√	×	√	×	√	×	√	×
Ajbapur Sugar Complex Cogeneration Project	Renewable electricity for grid	Biomass	Small	√	√	√	×	√	×	√	√
6.5 MW biomass based (rice husk) power generation by M/s Indian Acrylics Ltd. and replacement of electrical power being imported from state electricity grid/ surplus power supply to grid	Renewable electricity for grid	Biomass	Small	√	×	√	×	×	√	√	×
LHSF Bagasse Project	Renewable electricity for grid	Biomass	Small	√	√	×	×	√	×	√	√
Pandurang SSK RE Project	Renewable electricity for grid	Biomass	Small	√	√	√	×	×	×	√	√
Chambal Power Ltd (CPL) proposed 7.5 MW biomass based power project at Rangpur, Kota District, Rajasthan, India.	Renewable electricity for grid	Biomass	Small	√	×	√	√	√	√	√	√
TSIL – Waste Heat Recovery Based Power Project	Energy efficiency	Industry	Large	√	×	√	√	√	×	√	√
Bundled wind power project in Chitradurga (Karnataka in India)	Renewable electricity for grid	Wind	Large	√	√	√	√	√	√	√	√

managed by Enercon (India) Ltd.												
Vajra and Chaskaman small hydro projects of Vindhyachal Hydro Power Ltd., Maharashtra, India.	Renewable electricity for grid	Hydro	Small	√	×	√	×	√	×	√	×	
Waste Heat Recovery Power Project at JK Cement Works (Unit of JK Cement Limited), Nimbahera, Chittorgarh, Rajasthan	Energy efficiency	Industry	Large	√	×	√	√	×	×	√	√	
Partial replacement of fossil fuel by biomass as an alternative fuel, for Pyro-Processing in cement plant of Shree Cements Limited at Beawar in Rajasthan, India	Renewable energy for user	Renewable energy for industry	Large	√	×	√	√	√	√	√	√	